

Handheld Mining Analyzer

Item Number: XRF-600M



Introduction

XRF600M, a fast, accurate, and easy-to-use handheld XRF mining analyzer designed for different analytical applications in the mining industry. The XRF600M provides on-site analysis of ore samples with minimal sample preparation, reducing the time for lab assay from days to minutes. With the fundamental parameters method, the XRF60M is capable of analyzing an ore sample without the need for any calibration standards.

Learn More

| Model | XRF-600M/XRF-600MP/XRF-600MS |
|--------------------------|---|
| Excitation | Ceramic packaged microfocus X-ray tube, Ag target tube,50kV |
| Detector | High performance Si-Pin detector /Optimized SDD detector |
| Filter | Multi position automatic filter changer |
| Window | Kapton with anti-puncture window design optional |
| Collimator | 5mm collimator |
| Battery | 7.2V Li-ion battery,6800mAh |
| Display | Capacitive touch color display |
| Exceeding Alert | When elements concentration exceeds the setting limits, software will alert |
| One Touch Operation | One touch testing |
| Soil Moisture Correction | Analysis can automatically correct according to the soil moisture |
| Data storage | 100000+data storage |
| Data transfer | WiFi[]USB |
| Radiation safety | Safety guard device, tube shutoff while no sample ,Password-protected user security |
| Camera (optional) | Integrated CCD camera with autofocus lens for positioning and recording measuring point positions |
| Environment Temp | -10°C~50°C Humidity 0%~80% |
| Weight | Approx.1.5kg (3.3lbs) including battery |
| Dimensions | Lx WxH:220mm*91mm*276mm |
| Software language | English and other languages |